

CERTIFICATE OF APPROPRIATENESS

Applicant: Robert J. Finch, Owner and Danny Rigg, Agent

Property: 1702 North Boulevard, Lot 12, Block 3, West Edgemont Subdivision. The property includes a historic 2,136 square foot, single-family residence and a detached garage and service quarters situated on a 10,500 square foot (70' x 150') corner lot.

Significance: Contributing Colonial Revival residence, constructed circa 1927, located in the Boulevard Oaks Historic District.

Proposal: Alteration – Rear Additions and dormers, front door alteration and rear porch

- Replace shingle roofing with new synthetic slate roofing material on main house, porch at rear & detached guest quarters.
- 1980s addition and new shed dormer roof to be replaced with white membrane, similar appearance to existing
- Front Entry - new front door compatible with Colonial Revival Style, side lites & transom to replace existing (see historic photo for reference).
- Exterior Finishes: Repair & Restore existing stucco cladding.
- Restoration of existing ornamental window shutters.
- Entry Gates New painted wood gates in the perimeter walls. Located at southeast corner and exterior wall of the Detached Garage facing Dunlavy St. -exempt
- Alter c. 1980s addition into front Walk-out Balcony & 36" tall metal guardrail above existing Level 1 curved addition. New metal Juliette balconies and awnings (white standing seam metal) on non-historic detached guest quarters (facing interior of property) to match new front & rear balconies
- 2 existing windows on non-historic addition to be replaced with matching doors to allow for balcony entry.
- Rear Balcony & Level 1 Addition Expanded Level 2 rear balcony & porch roof above, visible from Dunlavy St. in similar/same materials proposed at front.
- Level 2 Addition to rear western corner of main house, not visible from North Blvd.
- **Proposed total addition of 132 sq ft (rear east and west elevations)**
- New Level 2.5 Roof Dormer facing interior of property– below historic ridge line of main house
- All new wood windows are inset and recessed – see vendor info for each location.
- Video overview of proposed design: <https://vimeo.com/549655140/ed088b9c5c>

Public Comment: No public comment received at this time.

Civic Association: No public comment received at this time.

Recommendation: Approval

HAHC Action: -


APPROVAL CRITERIA

ALTERATIONS, REHABILITATIONS, RESTORATIONS AND ADDITIONS

Sec. 33-241: HAHC shall issue a certificate of appropriateness for the alteration, rehabilitation, restoration or addition of an exterior feature of (i) any landmark, (ii) protected landmark, (iii) any building, structure or object that is part of an archaeological site, or (iv) contributing building in a historic district upon finding that the application satisfies the following criteria, as applicable:

S D NA S - satisfies D - does not satisfy NA - not applicable

- (1) The proposed activity must retain and preserve the historical character of the property;
(2) The proposed activity must contribute to the continued availability of the property for a contemporary use;
(3) The proposed activity must recognize the building, structure, object or site as a product of its own time and avoid alterations that seek to create an earlier or later appearance;
(4) The proposed activity must preserve the distinguishing qualities or character of the building, structure, object or site and its environment;
(5) The proposed activity must maintain or replicate distinctive stylistic exterior features or examples of skilled craftsmanship that characterize the building, structure, object or site;
(6) New materials to be used for any exterior feature excluding what is visible from public alleys must be visually compatible with, but not necessarily the same as, the materials being replaced in form, design, texture, dimension and scale;
(7) The proposed replacement of missing exterior features, if any, should be based on an accurate duplication of features, substantiated by available historical, physical or pictorial evidence, where that evidence is available, rather than on conjectural designs or the availability of different architectural elements from other structures;
(8) Proposed additions or alterations must be done in a manner that, if removed in the future, would leave unimpaired the essential form and integrity of the building, structure, object or site;
(9) The proposed design for any exterior alterations or addition must not destroy significant historical, architectural, archaeological or cultural material, including but not limited to siding, windows, doors and porch elements.
(10) The proposed alteration or addition must be compatible with the massing, size, scale material and character of the property and the context area; and
(11) The distance from the property line to the front and side walls, porches, and exterior features of any proposed addition or alteration must be compatible with the distance to the property line of similar elements of existing contributing structures in the context area.



INVENTORY PHOTO










HISTORIC PHOTO c. 1975




CURRENT AERIAL/SANBORNS – NEW ADDITION C. 1980s



NEW ADDITION C. 1980s



Archives C.1974





EXISTING CONDITIONS, VIEWED FROM NORTH BLVD SIDEWALK




HISTORICAL PHOTO, CIRCA 1975



EXISTING CONDITIONS, VIEWED FROM INTERSECTION OF NORTH BLVD & DUNLAW ST



EXISTING CONDITIONS, VIEWED FROM DUNLAW ST



GOOGLE SATELLITE VIEW & SANBORN MAP COMPARISON




1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

EXISTING CONDITIONS & HISTORICAL REFERENCES



EXISTING SHINGLE ROOFING ON HISTORIC PORTION



EXISTING SHINGLE ROOFING ON HISTORIC PORTION,
EXISTING MEMBRANE ROOFING ON 1980s ADDITION



EXISTING SHINGLE ROOFING ON DETACHED GUEST QUARTERS,
WHITE STANDING SEAM METAL ROOFING ON GARAGE & COVERED WALKWAY.



EXISTING MEMBRANE ROOFING ON 1980s ADDITIONS
LEFT: OVER FRONT ENTRY, RIGHT: CURVED ADDITION



CASTLE GRAY

Also available in Cool Roof




PROPOSED SYNTHETIC SLATE MATERIAL TO REPLACE EXISTING COMPOSITION SHINGLE
ROOFING ON HISTORIC PORTION, REAR BALCONY ROOF, & DETACHED GUEST QUARTERS



1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

ROOFING MATERIALS



HISTORICAL PHOTO, CIRCA 1975



INVENTORY PHOTO, CIRCA 2009



EXISTING CONDITIONS TODAY



ELEVATION DRAWING OF PROPOSED DESIGN



RENDERING OF PROPOSED DESIGN - PANELED WOOD DOOR WITH NEW SIDELIGHTS & TRANSOM TO MATCH HISTORIC DETAILS & PROPORTIONS



INVENTORY PHOTO, CIRCA 2009 - ACCENT COLOR ON ORNAMENTAL SHUTTERS



EXISTING CONDITIONS TODAY, WHITE STUCCO & SHUTTERS



EXISTING CONDITIONS TODAY - LANDSCAPE PAVERS IN DIAGONAL PATTERN



RENDERING OF PROPOSED COLOR PALETTE - WHITE TRIM, GRAY WALLS, BLUE SHUTTERS



PROPOSED DESIGN - BLUESTONE PAVERS IN ASHLAR PATTERN





EXISTING CONDITIONS - PERIMETER WALL & METAL GATE



EXISTING CONDITIONS - GARAGE WALL



RENDERING OF PROPOSED PERIMETER WALL W/ WOOD GATE



RENDERING OF PROPOSED GARAGE WALL W/ WOOD DOOR



1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

PERIMETER GATES

Page



EXISTING CONDITIONS TODAY



EXISTING CONDITIONS TODAY - MEMBRANE ROOFING



EXISTING CONDITIONS TODAY - 1980s ADDITION WINDOWS



RENDERING OF PROPOSED FRONT BALCONY, DOORS, & RAILING.
EXTERIOR APPEARANCE OF CURVED 1980s ADDITION TO REMAIN.



RENDERING OF PROPOSED DESIGN - RAILING INSET FROM EDGE.
CENTER WINDOWS REPLACED WITH NEW WOOD DOORS TO MATCH EXISTING WINDOW PROPORTION & DETAILS.



1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

FRONT BALCONY

Page 7 of 22



EXISTING CONDITIONS TODAY



RENDERING OF PROPOSED REAR BALCONY ADDITION




RENDERING OF PROPOSED REAR BALCONY ADDITION



EXISTING CONDITIONS TODAY - TRIANGULAR ROOM WITH BALCONY ABOVE



RENDERING OF PROPOSED REAR BALCONY & LEVEL 1 ADDITION



GOOGLE SATELLITE VIEW OF EXISTING CONDITIONS.
RED ARROW INDICATES LOCATION OF PROPOSED LEVEL 2 ADDITION.



RENDERING OF PROPOSED LEVEL 2 ADDITION TO REAR OF MAIN HOUSE.
NEW ROOF DORMER ADDED TO LEVEL 2.5, WITH MEMBRANE ROOFING TO MATCH 1980s ADDITIONS.
NEITHER OF THE ADDITIONS WOULD BE VISIBLE FROM NORTH BLVD.





EXISTING CONDITIONS TODAY - DETACHED GUEST QUARTERS VIEWED FROM DUNLAVY
NOTE: EXPOSED SOUTH-FACING JULIETTE BALCONIES



EXISTING CONDITIONS TODAY - GUEST QUARTERS VIEWED FROM BACKYARD & EXISTING RAILING DETAIL



RENDERING OF PROPOSED SHADE AWNINGS AS VIEWED FROM DUNLAVY ST.



RENDERING OF PROPOSED SHADE AWNINGS AS VIEWED FROM DUNLAVY ST.
STYLE & CONSTRUCTION TO MATCH THE COVERED WALKWAY DESIGN.
NEW BALCONY RAILING TO MATCH FRONT & REAR ADDITION RAILING DESIGN FOR A CONSISTENT APPEARANCE.





RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 12 of 22



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 13 of 22



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 14 of 22



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 15 of 22



1702 NORTH BOULEVARD - FINCH RENOVATION
 Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 17 of 22



1702 NORTH BOULEVARD - FINCH RENOVATION
 Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 19 of 22



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 20 of 22



RIGG

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS

Page 21 of 22



RIGG
STUDIO

1702 NORTH BOULEVARD - FINCH RENOVATION
Preliminary Architectural Review - May 17, 2021

RENDERINGS OF PROPOSED EXTERIOR IMPROVEMENTS


Page 22 of 22



SITE PLAN


EXISTING

PROPOSED



01 Demo Site Plan
Scale: 1/8" = 1'-0" @ N

- Existing to remain
- ▨ Area of Demolition



02 Site Plan
Scale: 1/8" = 1'-0" @ N



- Existing to remain
- ▨ New Construction



FIRST FLOOR PLAN

EXISTING

PROPOSED



01 Level 1 Demo Floor Plan - Main House
Scale: 3/8" = 1'-0" CW

■ Existing to remain
▨ Area of Demolition

02 Level 1 Floor Plan - Main House
Scale: 3/8" = 1'-0" CW



■ Existing to remain
▨ New Construction



SECOND FLOOR PLAN

EXISTING

PROPOSED



01 Level 2 Denise Floor Plan - Main House
Scale: 3/16" = 1'-0"

02 Level 2 Floor Plan - Main House
Scale: 3/16" = 1'-0"

Existing to remain
Area of Demolition



Existing to remain
New Construction



THIRD FLOOR PLAN

EXISTING

PROPOSED



01 Level 3 Demolition Floor Plan - Main House
Scale: 3/16" = 1'-0" @

- Existing to remain
- Area of Demolition

02 Level 3 Floor Plan - Main House
Scale: 3/16" = 1'-0" @



- Existing to remain
- Area of Demolition
- New Construction



ROOF PLAN

EXISTING

PROPOSED



01 Demolition Roof Plan
Scale: 1/8" = 1'-0" (N)

02 Roof Plan
Scale: 1/8" = 1'-0" (N)

SOUTH ELEVATION – FRONT FACING NORTH BOULEVARD

EXISTING *removal of non historic elements*



02 Demo Exterior Elevation - South, View from North Blvd
Scale: 3/16" = 1'-0"

PROPOSED



04 Exterior Elevation - North, View from North Blvd
Scale: 3/16" = 1'-0"

NORTH (REAR) ELEVATION

EXISTING



01 Demo Exterior Elevation - North, View from Backyard
Scale: 3/16" = 1'-0"


PROPOSED



03 Exterior Elevation - North, View from Backyard
Scale: 3/16" = 1'-0"


EAST SIDE ELEVATION (Facing Dunlavy St)

EXISTING



View from Dunlavy


PROPOSED



View from Dunlavy


WEST SIDE ELEVATION

EXISTING



01 Demo Exterior Elevation - West, View from Backyard
Scale: 3/16" = 1'-0"


PROPOSED



02 Exterior Elevation - West, View from Backyard
Scale: 3/16" = 1'-0"


SOUTH SIDE ELEVATION – Guest Quarters facing rear of home

EXISTING




02 Demo Exterior Elevation - South, Guest Quarters
Scale: 3/16" = 1'-0"

PROPOSED




04 Exterior Elevation - South, Guest Quarters
Scale: 3/16" = 1'-0"

NORTH SIDE ELEVATION – Guest Quarters facing property line/rear alley
EXISTING



01 Demo Exterior Elevation - North, Guest Quarters
Scale: 3/16" = 1'-0"

PROPOSED



03 Exterior Elevation - North, Guest Quarters
Scale: 3/16" = 1'-0"

WINDOW / DOOR SCHEDULE



**CERTIFICATE OF APPROPRIATENESS
WINDOW WORKSHEET**

1702 North Blvd
Houston, Texas 77098
HAHC Application: HP2021_0064

Existing Window Schedule

1. Entry Door Sidelites & Transom facing North Blvd. to be replaced with single-pane, divided-lite glazing to match historical reference image.
2. [2] wood windows located above the curved front addition (1980s) facing North Blvd. to be replaced with new doors with glass lites. New doors to be painted wood construction with size, proportion, and detailing to match existing & adjacent windows.
3. Two fixed wood windows on Level 1 (1980s addition) facing property interior to be removed for the proposed addition.
4. All other existing windows to remain.

Proposed Window Schedule

#	Material	Lite Pattern	Style	Dimensions	Mounting Profile	Brand or Equivalent	Comments
01	Alum.Clad-Wood, white finish	1	Single Casement	2'-8" w x 5'x0" h	Recessed	Anderson E-Series or equal	Level 2, faces West, not visible from North Blvd
02	Alum.Clad-Wood, white finish	1x1	Double Casement	5'-0" w x 4'-6" h	Recessed	Anderson E-Series or equal	Level 2.5 Shed Dormer, faces property interior
03	Alum.Clad-Wood, white finish	1x1	Double Casement	5'-0" w x 4'-6" h	Recessed	Anderson E-Series or equal	Level 2.5 Shed Dormer, faces property interior
04	Alum.Clad-Wood, white finish	1x1	Double Casement	5'-0" w x 4'-6" h	Recessed	Anderson E-Series or equal	Level 2.5 Shed Dormer, faces property interior
05	Alum.Clad-Wood, white finish	1	Fixed Picture	4'-0" w x 7'-6" h	Recessed	Anderson E-Series or equal	Level 1, Faces property interior
06	Alum.Clad-Wood, white finish	1	Fixed Picture	5'-0" w x 7'-6" h	Recessed	Anderson E-Series or equal	Level 1, Faces property interior
07	Alum.Clad-Wood, white finish	1	Fixed Picture	5'-0" w x 7'-6" h	Recessed	Anderson E-Series or equal	Level 1, Faces property interior



Existing Conditions

Aluminum windows on 1980s addition facing property interior. All existing windows to remain, and new windows to match this exterior style.



Existing Conditions

Windows & Doors on 1980s addition facing property interior, to be demolished for new addition.

Window Product Info - Anderson E-Series Clad-Wood

CASEMENT WINDOW

FEATURES

CASEMENT WINDOWS



FRAME & SASH

A Select wood components are kiln dried and treated with water/insect repellent and preservative. Interior wood surfaces are available in pine, mixed grain Douglas fir, cherry, hickory, mahogany, maple, oak, walnut, alder or vertical grain Douglas fir. Interior surfaces are available unfinished or factory primed. Factory-applied finishes are available in a variety of stain and paint options.

B Wood components are fitted with aluminum extrusions on the exterior. 50 exterior colors that meet AAMA 2604 and 2605 specifications are available, as well as custom colors. Also available is a selection of seven exterior anodized options. Integral, butyl-backed corner keys provide a positive, tight seal.

Vinyl installation flanges are pre-applied into a kerf on the frame exterior to facilitate installation. Optional aluminum flanges and metal installation clips are available.

C A Fibrex® material thermal barrier encompasses the interior perimeter of the frame and is a neutral beige color.



D A continuous perimeter bulb weatherstrip around the frame is positioned on the Fibrex material thermal barrier and provides solid surface contact with the sash.

A secondary bulb weatherstrip is applied on three sides of the sash into a stand-alone kerf on the aluminum extrusion. Available in white or optional black.

GLASS

E High-Performance Low-E4® glass with a low-conductivity spacer. Triple-pane glass, tinted, clear dual-pane, high-altitude glass and other special glazing options are available.

F Glass is fixed in place from the interior with wood stops that can be removed for easy reglazing if necessary. Glass stops available in ovolo (colonial) and contemporary profiles.

Window Product Info - Anderson E-Series Clad-Wood

FRENCH CASEMENT WINDOW

FEATURES

FRENCH CASEMENT WINDOWS



FRAME & SASH

A Select wood components are kiln dried and treated with water/insect repellent and preservative. Interior wood surfaces are available in pine, mixed grain Douglas fir, cherry, hickory, mahogany, maple, oak, walnut, alder or vertical grain Douglas fir. Interior surfaces are available unfinished or factory primed. Factory-applied finishes are available in a variety of stain and paint options.

B Wood components are fitted with aluminum extrusions on the exterior. 50 exterior colors that meet AAMA 2604 and 2605 specifications are available, as well as custom colors. Also available is a selection of seven exterior anodized options.

Vinyl installation flanges are pre-applied into a kerf on the frame exterior to facilitate installation. Optional aluminum flanges and metal installation clips are available.

C A Fibrex® material thermal barrier encompasses the interior perimeter of the frame and is a neutral beige color.



D A continuous perimeter bulb weatherstrip around the frame is positioned on the Fibrex material thermal barrier and provides solid surface contact with the sash.

Secondary weatherstrip is applied on three sides of the sash. Available in white or optional black.

GLASS

E High-Performance Low-E4® glass with a low-conductivity spacer. Tinted, clear dual-pane, high-altitude glass and other special glazing options are available.

F Glass is fixed in place from the interior with wood stops that can be removed for easy reglazing if necessary. Glass stops available in ovolo (colonial) and contemporary profiles.

Certificate Of Appropriateness: Alteration/Addition Worksheet

(For buildings outside Houston Heights East, West, or South Districts)



PLANNING & DEVELOPMENT DEPARTMENT

* This form is required. Failure to include accurate and complete requested information below may result in an incomplete application and delay the review/recommendation of the proposed project to Director and HAHC.

Address: 1702 North Blvd **Lot Size (Total Sq Ft):** 10,500 sq.ft.
Lot Dimensions (W X L): 70' x 150'

General Addition Info:

Existing stories*	2.5	Proposed addition stories*	Existing to remain
Existing max ridge height*	32'-3" +/-	Proposed max ridge height*	26'-3" +/- Rear Balcony Roof
Existing max eave height*	20'-3" +/-	Proposed max eave height*	Match Existing

Square Footage/Lot Coverage:	Existing	Proposed/New *do not include existing	= End Result/ Total
Ground Floor Square Footage of Primary Building (HCAD)* <small>*please include sunrooms or enclosed porches w/ walls or window</small>	2,136 SF	+ 132 SF	2,268
Detached Garage, Garage Apt or Accessory Building Square Footage	1,409 SF	0	1,409
<small>* Subtract detached garages more than 528 square feet by 528 square feet. If smaller than 528 sq ft, please subtract only the amount less than 528 sq ft.</small>			- 528
	New Total Lot Coverage* =		3,149 SF

Setbacks From Property Line:

	Existing	Proposed/New	Shares property line with neighbor - Y/N?
North*	5'	Match Existing	Yes
South*	Prevailing (36' +/-)	Match Existing	No - North Blvd
East*	10'	Match Existing	No - Dunlavy St
West*	5'	Match Existing	Yes

Max Width/Depth & Inset:

"widest building wall corner to corner"	Existing	Proposed/New *do not include existing	= End Result/ Total
Max Width*	55'-6" +/-	Existing to remain	0
Max Depth*	53'-6" +/-	Existing to remain	0

Are original corners maintained with an inset on the addition?*

YES or NO

Please advise inset dimensions for applicable corners:

Do you have flooding issues? YES NO

Foundation:

	Existing	Proposed/New Addition
Grade to Finished Floor Height (1st fl)*	Varies	Existing to remain
Type*	Crawl Space & Slab	Existing to remain
Material*	Concrete	Existing to remain

Roof:

	Existing	Proposed/New Addition
Pitch*	Varies	Match Existing
Style*	Gable w/ Dormers	Hip w/ Shed Dormer
Material*	Composition Shingle	Synthetic Slate, White Membrane, White standing Seam

Cladding:

	Existing	Proposed/New Addition
Primary Siding Material*	Stucco over Masonry	Stucco
Primary Siding Width Reveal		
Skirting Material	Stucco over Masonry	N/A - Slab on Grade
Soffit Material	Painted Wood	Painted Wood
Fascia Material	Painted Wood	Painted Wood

Are all windows on the addition inset & recessed? YES or NO

Porch Details:

	Existing	Proposed/New Addition
Eave Height	Varies	Match Existing
Width	Varies	Match Existing
Depth	Varies	Match Existing
Decking Material	Composite	New Composite
Pier/Base Material	Stucco Skirt	New Paint
Column Material	Painted Wood	New Paint
Step Material	Tiled concrete	New Tile
Railing Height	36"	36" Min.
Railing Material	Stucco Wall	Painted Metal

Please remember to fill out the window worksheet
 And review guidelines for drawing submissions

See link for more info: <https://cohweb.houston.tx.gov/HPT/login.aspx>

Form Date: January 4, 2021 3:29 PM